



Safety Data Sheet

according to Regulation (EC) 1907/2006 (REACH)

Revision date: 2019-08-21

Supercedes: 2019-01-09

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier:

Product trade name: Kalama* 3-Phenyl Propanol FCC
Company product number: 3PPFCC
REACH registration number: 01-2120756397-42-0002
Substance name: 3-Phenylpropan-1-ol
Substance identification number: EC 204-587-6
Other means of identification:

1.2. Relevant identified uses of the substance or mixture and uses advised against:

Uses: Flavor and fragrance ingredient/additive.
Uses advised against: None identified

1.3. Details of the supplier of the safety data sheet:

Manufacturer/Supplier: Emerald Performance Materials, LLC
1499 SE Tech Center Place, Suite 300
Vancouver, WA 98683
United States
Telephone: +1-360-954-7100
FAX: +1-360-954-7201

EU Only Representative: Penman Consulting bvba
Avenue des Arts 10
B-1210 Brussels
Belgium
Telephone: +32 (0) 2 305 0698
email: pcbvba09@penmanconsulting.com

For further information about this SDS: Email: product.compliance@emeraldmaterials.com

1.4. Emergency telephone number:

ChemTel (24 hours): 1-800-255-3924 (USA); +1-813-248-0585 (outside USA);
1-300-954-583 (Australia); 000-800-100-4086 (India).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture:

Product classification according to Regulation (EC) 1272/2008 (CLP) as amended:
Skin Corrosion, category 1B, H314

2.2. Label elements:

Product labeling according to Regulation (EC) 1272/2008 (CLP) as amended:
Hazard pictogram(s):



Signal word:
Danger

Hazard statements:
H314 Causes severe skin burns and eye damage.

Precautionary statements:

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

Supplemental information: No Additional Information

Precautionary statements are listed according to the United Nations Globally Harmonized System of Classification and Labelling of Chemicals (GHS) - Annex III and ECHA Guidance on Labelling and Packaging. Regulations in individual countries/regions may determine which statements are required on the product label. See product label for specifics.

2.3. Other hazards:**PBT/vPvB criteria:**

Not Available

Other hazards:

No Additional Information

See Section 11 for toxicological information.

SECTION 3: Composition/information on ingredients**3.1. Substance:**

<u>CAS-No.</u>	<u>Chemical Name</u>	<u>Weight%</u>	<u>Classification</u>	<u>H Statements</u>
0000122-97-4	3-Phenylpropan-1-ol	99-100	Skin Corr. 1B	H314
<u>CAS-No.</u>	<u>Chemical Name</u>	<u>Weight%</u>	<u>REACH Registration No.</u>	<u>EC/List Number</u>
0000122-97-4	3-Phenylpropan-1-ol	99-100	01-2120756397-42-0002	204-587-6

See Section 16 for full text of H (Hazard) statements (EC 1272/2008).

Amounts specified are typical and do not represent a specification. Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.

SECTION 4: First aid measures**4.1. Description of first aid measures:**

General: If irritation or other symptoms occur or persist from any route of exposure, remove the affected individual from the area: see a physician/get medical attention.

Eye contact: Immediately flush eyes with plenty of clean water for an extended time, not less than fifteen (15) minutes. Flush longer if there is any indication of residual chemical in the eye. Ensure adequate flushing of the eyes by separating the eyelids with fingers and roll eyes in a circular motion. Get medical attention immediately.

Skin contact: Immediately remove contaminated clothing and shoes. Wash the affected area with plenty of soap and water until no evidence of the chemical remains (at least 15-20 minutes). Launder clothing before reuse. Get medical attention immediately.

Inhalation: If affected, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Call a POISON CENTER or doctor/physician if you feel unwell.

Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious person. Rinse out the mouth with water. Get medical attention immediately.

Protection of first aid responders: Wear proper personal protective clothing and equipment.

4.2. Most important symptoms and effects, both acute and delayed:

Burns, Eye redness and pain, Irritation. Pre-existing skin problems may be aggravated by prolonged or repeated contact. See section 11 for additional information.

4.3. Indication of any immediate medical attention and special treatment needed:

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media:

Suitable: Use water spray, ABC dry chemical, foam or carbon dioxide. Water or foam may cause frothing. Use water to keep fire-exposed containers cool. Water spray may be used to flush spills away from exposures.

Unsuitable: None known.

5.2. Special hazards arising from the substance or mixture:

Unusual fire/explosion hazards: Product is not considered a fire hazard, but will burn if ignited. Run off water from firefighting may have corrosive effects. Closed container may rupture (due to build up in pressure) when exposed to extreme heat.

Hazardous combustion products: Irritating or toxic substances may be emitted upon burning, combustion or decomposition. See section 10 (10.6 Hazardous decomposition products) for additional information.

5.3. Advice for firefighters:

Wear self-contained breathing apparatus (SCBA) equipped with a full facepiece and operated in a pressure-demand mode (or other positive pressure mode) and approved protective clothing. Personnel without suitable respiratory protection must leave the area to prevent significant exposure to hazardous gases from combustion, burning or decomposition. In an enclosed or poorly ventilated area, wear SCBA during cleanup immediately after a fire as well as during the attack phase of firefighting operations.

See section 9 for additional information.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures:

See Section 8 for recommendations on the use of personal protective equipment. If spilled in an enclosed area, ventilate. Eliminate ignition sources. Personal Protective Equipment must be worn.

6.2. Environmental precautions:

Do not flush liquid into public sewer, water systems or surface waters.

6.3. Methods and material for containment and cleaning up:

Contain by diking with sand, earth or other non-combustible material. Wear proper personal protective clothing and equipment. Absorb spill with an inert material. Place into labeled, closed container; store in safe location to await disposal. Change contaminated clothing and launder before reuse.

6.4. References to other sections:

See Section 8 for recommendations on the use of personal protection and Section 13 for waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling:

As with any chemical product, use good laboratory/workplace procedures. Do not cut, puncture, or weld on or near the container. Do not get in eyes, on skin or clothing. Do not breathe dust, vapor, aerosol, mist or gas. Do not ingest, taste, or swallow. Wash thoroughly after handling this product. Always wash up before eating, smoking or using the facilities. Use under well-ventilated conditions. Wash contaminated clothing before reuse. Provide eyewash fountains and safety showers in the work area.

7.2. Conditions for safe storage, including any incompatibilities:

Store cool and dry, under well-ventilated conditions. Store this material away from incompatible substances (see section 10). Do not store in open, unlabeled or mislabeled containers. Keep container closed when not in use. Do not reuse empty container without commercial cleaning or reconditioning. Empty container contains residual product which may exhibit hazards of product. Product can easily oxidize. It is recommended that opened containers be padded with nitrogen. Protect from light.

7.3. Specific end use(s):

No Additional Information

SECTION 8: Exposure controls / personal protection

8.1. Control parameters:**Occupational exposure limits (OEL):**

<u>Chemical Name</u>	<u>EU OELV</u>	<u>EU IOELV</u>	<u>ACGIH - TWA/Ceiling</u>	<u>ACGIH - STEL</u>
3-Phenylpropan-1-ol	N/E	N/E	N/E	N/E
<u>Chemical Name</u>	<u>UK WEL</u>	<u>Ireland OEL</u>		
3-Phenylpropan-1-ol	N/E	N/E		

N/E=Not established (no exposure limits established for the listed substances for listed country/region/organization).

Derived No Effect Levels (DNELs):**3-Phenylpropan-1-ol**

<u>Population</u>	<u>Route</u>	<u>Acute (local)</u>	<u>Acute (systemic)</u>	<u>Long Term (local)</u>	<u>Long Term (systemic)</u>
Workers	Inhalation	N/E	N/E	N/E	24,68 mg/m ³
Workers	Dermal	N/E	N/E	N/E	14 mg/kg bw/day
General population	Inhalation	N/E	N/E	N/E	3,7 mg/m ³
General population	Dermal	N/E	N/E	N/E	5 mg/kg bw/day
General population	Oral	N/E	N/E	N/E	2,5 mg/kg bw/day

Predicted No Effect Concentration (PNECs):**3-Phenylpropan-1-ol**

<u>Compartment</u>	<u>PNEC</u>
Freshwater	0,061 mg/L
Freshwater sediment	0,513 mg/kg dw
Marine water	0,006 mg/L
Marine water sediment	0,051 mg/kg dw
Soil	0,067 mg/kg dw
STP	3 mg/L
Oral	No potential for bioaccumulation

N/E=Not established; N/A=Not applicable (not required); bw=body weight; dw=dry weight; ww=wet weight.

8.2. Exposure controls:

Appropriate engineering controls: Always provide effective general and, when necessary, local exhaust ventilation to draw spray, aerosol, fume, mist and vapor away from workers to prevent routine inhalation. Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS.

Individual protection measures, such as personal protective equipment:

Eye/face protection: Wear safety glasses with side shields (or goggles) and a face shield.

Hand protection: Avoid skin contact when mixing or handling the material by wearing impervious and chemical resistant gloves. In case of prolonged immersion or frequently repeated contact, gloves with breakthrough times greater than 480 minutes (protection class 6) are recommended. For brief contact or splash applications, gloves with breakthrough times of 60 minutes or greater are recommended (protection class 3 or greater). Suggested materials for protective gloves: Butyl rubber, Neoprene, Viton. The protective gloves to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN 374. Suitability and durability of a glove is dependent on usage (e.g. frequency and duration of contact, other chemicals which may be handled, chemical resistance of glove material and dexterity). Always seek advice of the glove supplier as to the most suitable glove material.

Skin and body protection: Use good laboratory/workplace procedures including personal protective clothing: labcoat, safety glasses and protective gloves.

Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment. Wear an approved respirator (e.g., an organic vapor respirator, a full face air purifying respirator for organic vapors, or a self-contained breathing apparatus) whenever exposure to aerosol, mist, spray, fume or vapor exceed the applicable exposure limit(s) of any chemical substance listed in this SDS.

Further information: Eyewash fountains and safety showers are recommended in the work area.

Environmental exposure controls: See Sections 6 and 12.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties:**

Form:	Liquid	pH:	Not Available
Appearance:	Clear, Colorless	Relative density:	0.998-1.002 (25°C)

SDS Name: Kalama* 3-Phenyl Propanol FCC

Odour:	Cinnamon-like	Partition coefficient (n-octanol/water):	1.6 (OECD 117)
Odour threshold:	Not Available	% Volatile by weight:	100%
Solubility in water:	7799 mg/L @ 20°C	VOC:	100%
Evaporation rate:	Not Available	Boiling point °C:	235-238 °C
Vapour pressure:	<1 mm Hg @ 25°C	Boiling point °F:	455-460 °F
Vapour density:	> 1	Flash point:	>100 °C (>212 °F) Estimated
Viscosity:	Not Available	Autoignition temperature:	460 °C (860 °F)
Melting point/Freezing point:	-18 °C (-0.4 °F)	Flammability (solid, gas):	Not Applicable (liquid)
Oxidising properties:	Not oxidizing	Flammability or explosive limits:	LFL/LEL: Not Available
Explosive properties:	Not explosive		UFL/UEL: Not Available
Decomposition temperature:	Not Available	Surface tension:	

9.2. Other information:

Amounts specified are typical and do not represent a specification.

SECTION 10: Stability and reactivity

10.1. Reactivity:

None known.

10.2. Chemical stability:

This product is stable.

10.3. Possibility of hazardous reactions:

Hazardous polymerization will not occur.

10.4. Conditions to avoid:

Avoid exposure to air, moisture, ignition sources and elevated temperatures.

10.5. Incompatible materials:

Avoid contact with strong oxidizing agents.

10.6. Hazardous decomposition products:

Thermal decomposition may produce smoke, carbon monoxide, carbon dioxide, aldehydes and other products of incomplete combustion.

SECTION 11: Toxicological information

11.1. Information on toxicological effects:

Information on likely routes of exposure:

General: Caution must be exercised through the prudent use of protective equipment and handling procedures to minimize exposure.

Eyes: Causes serious eye damage.

Skin: May be harmful in contact with skin. Causes skin burns.

Inhalation: Exposure to vapors or mists may cause severe irritation and burns of the nose, throat and respiratory tract.

Ingestion: May be harmful if swallowed. Ingestion may cause severe irritation and burns of the mouth, throat and digestive tract.

Acute toxicity information: Not classified (based on available data, the classification criteria are not met).

Chemical Name	Inhalation LC50	Species	Oral LD50	Species	Dermal LD50	Species
3-Phenylpropan-1-ol	N/E	N/E	2250 mg/kg	Rat/ adult	<5000 mg/kg	Rabbit/ adult

Skin corrosion/irritation: Causes severe skin burns - Category 1B. 3-PHENYLPROPAN-1-OL: OECD 431 Skin corrosion and

SDS Name: Kalama* 3-Phenyl Propanol FCC

OECD 439 Skin irritation in vitro tests: Corrosive (at 100% concentration); Not corrosive and not irritating (at <=50% concentration).

<u>Chemical Name</u>	<u>Skin irritation</u>	<u>Species</u>
3-Phenylpropan-1-ol	Corrosive (OECD 431 & 439)	In-Vitro

Serious eye damage/irritation: Causes serious eye damage - Category 1.

<u>Chemical Name</u>	<u>Eye irritation</u>	<u>Species</u>
3-Phenylpropan-1-ol	Corrosive	In-Vitro

Respiratory or skin sensitization: Not classified (based on available data, the classification criteria are not met).

<u>Chemical Name</u>	<u>Skin sensitisation</u>	<u>Species</u>
3-Phenylpropan-1-ol	Non-sensitizer	Weight of evidence

Carcinogenicity: Not classified (no relevant information found).

Germ cell mutagenicity: Not classified (based on available data, the classification criteria are not met). 3-PHENYLPROPAN-1-OL: Mutagenicity was negative in in-vitro genotoxicity assays.

Reproductive toxicity: Not classified (based on available data, the classification criteria are not met). 3-PHENYLPROPAN-1-OL: Reproductive and Developmental toxicity screening test (gavage) found a NOAEL = 300 mg/kg/day for reproductive and developmental toxicity.

Specific target organ toxicity (STOT) - single exposure: Not classified (based on available data, the classification criteria are not met).

Specific target organ toxicity (STOT) - repeated exposure: Not classified (based on available data, the classification criteria are not met). 3-PHENYLPROPAN-1-OL: Repeated dose study, oral, rat: NOAEL (no-observed-adverse-effect-level) =1000 mg/kg bw/day.

Aspiration hazard: Not classified (no relevant information found).

Other toxicity information: No additional information available.

SECTION 12: Ecological information

12.1. Toxicity:

<u>Chemical Name</u>	<u>Species</u>	<u>Acute</u>	<u>Acute</u>	<u>Chronic</u>
3-Phenylpropan-1-ol	Fish	LC50 >61 mg/L (96 hours)	N/E	N/E
3-Phenylpropan-1-ol	Invertebrates	EC50 60.6 mg/L (48 hours)	N/E	N/E
3-Phenylpropan-1-ol	Algae	EC50 109 mg/L (72 hours)	N/E	NOEC 80 mg/L(72 hours)

12.2. Persistence and degradability:

<u>Chemical Name</u>	<u>Biodegradation</u>
3-Phenylpropan-1-ol	Readily biodegradable (OECD 301F)

12.3. Bioaccumulative potential:

<u>Chemical Name</u>	<u>Bioconcentration Factor (BCF)</u>	<u>Log Kow</u>
3-Phenylpropan-1-ol	N/E	1.6 (OECD 117)

12.4. Mobility in soil:

<u>Chemical Name</u>	<u>Mobility in soil (Koc/Kow)</u>
3-Phenylpropan-1-ol	53

12.5. Results of PBT and vPvB assessment:

Not Available

12.6. Other adverse effects:

No additional information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods:

Dispose of unused contents (incineration) in accordance with national and local regulations. Dispose of container in accordance with national and local regulations. Ensure the use of properly authorized waste management companies, where

appropriate.

See Section 8 for recommendations on the use of personal protective equipment.

SECTION 14: Transport information

The information below is provided to assist in documentation. It may supplement the information on the package. The package in your possession may carry a different version of the label depending on the date of manufacture. Depending on inner packaging quantities and packaging instructions, it may be subject to specific regulatory exceptions.

14.1. UN number: UN1760

14.2. UN proper shipping name:

Corrosive liquid, n.o.s. (3-Phenylpropan-1-ol)

14.3. Transport hazard class(es):

U.S. DOT hazard class: 8

Canada TDG hazard class: 8

Europe ADR/RID hazard class: 8

IMDG Code (ocean) hazard class: 8

ICAO/IATA (air) hazard class: 8

A "N/A" listing for the hazard class indicates the product is not regulated for transport by that regulation.

14.4. Packing group: II

14.5. Environmental hazards:

Marine pollutant: Not Applicable

Hazardous substance (USA): Not Applicable

14.6. Special precautions for user:

Not Applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code:

Not Applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Europe REACH (EC) 1907/2006: Applicable components are registered, exempt or otherwise compliant. REACH is only relevant to substances either manufactured or imported into the EU. Emerald Performance Materials has met its obligations under the REACH regulation. REACH information regarding this product is provided for informational purposes only. Each Legal Entity may have differing REACH obligations, depending on their place in the supply chain. For material manufactured outside of the EU, the importer of record must understand and meet their specific obligations under the regulation.

EU Authorizations and/or restrictions on use: Not Applicable

Other EU information: No Additional Information

National regulations: No Additional Information

Chemical inventories:

<u>Regulation</u>	<u>Status</u>
Australian Inventory of Chemical Substances (AICS):	Y
Canadian Domestic Substances List (DSL):	Y
Canadian Non-Domestic Substances List (NDSL):	N
China Inventory of Existing Chemical Substances (IECSC):	Y
European EC Inventory (EINECS, ELINCS, NLP):	Y
Japan Existing and New Chemical Substances (ENCS):	Y
Japan Industrial Safety and Health Law (ISHL):	Y
Korean Existing and Evaluated Chemical Substances (KECL):	Y
New Zealand Inventory of Chemicals (NZIoC):	Y
Philippines Inventory of Chemicals and Chemical Substances (PICCS):	Y

Regulation

Status

Taiwan Inventory of Existing Chemicals:

Y

U.S. Toxic Substances Control Act (TSCA) (Active):

Y

A "Y" listing indicates all intentionally added components are either listed or are otherwise compliant with the regulation. A "N" listing indicates that for one or more components: 1) there is no listing on the public inventory (or is not on the ACTIVE inventory for U.S. TSCA); 2) no information is available; or 3) the component has not been reviewed. A "Y" for New Zealand may mean that a qualified group standard may exist for the components in this product.

15.2. Chemical safety assessment:

Not Applicable

SECTION 16: Other information

Hazard (H) Statements in the Composition section (Section 3):

H314 Causes severe skin burns and eye damage.

Reason for revision: Changes in Section(s): 1

Evaluation method for classification of mixtures: Not Applicable (substance)

Legend:

* : Trademark owned by Emerald Performance Materials, LLC.

ACGIH: American Conference of Governmental Industrial Hygienists

EU OELV: European Union Occupational Exposure Limit Value

EU IOELV: European Union Indicative Occupational Exposure Limit Value

N/A: Not Applicable

N/E: None Established

STEL: Short Term Exposure Limit

TWA: Time Weighted Average (exposure for 8-hour workday)

Users Responsibility/Disclaimer of Liability:

The information set forth herein is based on our current knowledge, and is intended to describe the product solely with respect to health, safety and the environment. As such, it must not be interpreted as a guarantee of any specific property of the product. As a result, the customer shall be solely responsible for deciding whether said information is suitable and beneficial.

Safety Data Sheet Preparer:

Product Compliance Department

Emerald Performance Materials, LLC

1499 SE Tech Center Place, Suite 300

Vancouver, WA 98683

United States

Annex

Not required (1-10 tonnes/year)