



Safety Data Sheet (SDS) International (GHS)

Revision date: 2020-02-20

SECTION 1: Identification

Product identifiers:

Product trade name: CURE-RITE* 18 Powder
Company product number: C18
Other means of identification: Morpholin-4-yl morpholine-4-carbodithioate

Recommended use of the chemical and restrictions on use:

Uses: Cure accelerator for rubber.
Restrictions on use: Pulverization.

Details of the supplier:

Manufacturer/Supplier: Emerald Performance Materials, LLC
1550 County Road 1450 N
Henry, IL 61537 United States
Telephone: +1-309-364-9499

1499 SE Tech Center Place, Suite 300
Vancouver, WA 98683 United States
Telephone: +1-360-954-7100

For further information about this SDS: Email: product.compliance@emeraldmaterials.com

Emergency telephone number:

ChemTel (24 hours): 1-800-255-3924 (USA); +1-813-248-0585 (outside USA);
1-300-954-583 (Australia); 000-800-100-4086 (India).

SECTION 2: Hazard(s) identification

Classification of the substance or mixture:

Carcinogenicity, category 1B, H350
Hazardous to the aquatic environment, Acute, category 2, H401
Hazardous to the aquatic environment, Chronic, category 2, H411

Label elements:

Hazard pictogram(s):



Signal word:

Danger

Hazard statements:

H350 May cause cancer.
H401 Toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P391 Collect spillage.

SDS Name: CURE-RITE* 18 Powder

P405 Store locked up.

P501 Dispose of contents/container in accordance with local, regional and international regulations.

Supplemental information: No Additional Information

Classification and hazards statements are listed according to the United Nations Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

Regulations in individual countries/regions may determine which classifications and hazard statements are applicable based on adopted hazard classes and categories.

Precautionary statements are listed according to the United Nations Globally Harmonized System of Classification and Labelling of Chemicals (GHS) - Annex III.

Regulations in individual countries/regions may determine which statements are required on the product label. See product label for specifics.

Other hazards: May form explosible dust-air mixture if dispersed.

See Section 11 for toxicological information.

SECTION 3: Composition/information on ingredients

Substance:

<u>CAS-No.</u>	<u>Chemical Name</u>	<u>Weight%</u>
0013752-51-7	N-Oxydiethylenethiocarbamyl-N'-oxydiethylenesulfenamide	98-100

Amounts specified are typical and do not represent a specification. Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.

SECTION 4: First-aid measures

Description of first aid measures:

General: If irritation or other symptoms occur or persist from any route of exposure, remove the affected individual from the area: see a physician/get medical attention.

Eye contact: Immediately flush eyes with plenty of clean water for an extended time, not less than fifteen (15) minutes. Flush longer if there is any indication of residual chemical in the eye. Ensure adequate flushing of the eyes by separating the eyelids with fingers and roll eyes in a circular motion. If eye irritation persists: Get medical advice/attention.

Skin contact: Immediately remove contaminated clothing and shoes. Wash the affected area with plenty of soap and water until no evidence of the chemical remains (at least 15-20 minutes). Launder clothing before reuse. If skin irritation occurs: Get medical advice/attention.

Inhalation: If affected, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Call a POISON CENTER or doctor/physician if you feel unwell. If any processing vapors, decomposition products or particulates are inhaled, remove individual(s) to fresh air. Provide protection before allowing reentry.

Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious person. Rinse out the mouth with water. Get medical attention immediately.

Protection of first aid responders: Wear proper personal protective clothing and equipment.

Most important symptoms and effects, both acute and delayed: Irritation. Pre-existing skin problems may be aggravated by prolonged or repeated contact. Persons with sensitive airways (e.g., asthmatics) may react to airborne dust or vapors. See section 11 for additional information.

Indication of any immediate medical attention and special treatment needed, if necessary: Treat symptomatically.

SECTION 5: Fire-fighting measures

Extinguishing media:

Suitable: Use water spray, dry chemical, or foam. Carbon dioxide may be ineffective on larger fires due to a lack of cooling capacity which may result in reignition.

Unsuitable: Avoid hose streams or any method which will create dust clouds.

Special hazards arising From the chemical:

Unusual fire/explosion hazards: Concentrated dust/air combinations may produce explosive conditions. As with all organic dusts, fine particles suspended in air in critical proportions and in the presence of an ignition source may ignite and/or explode. Dust may be sensitive to ignition by electrostatic discharge, electrical arcs, sparks, welding torches, cigarettes, open flame, or other significant heat sources. As a precaution, implement standard safety measures for handling finely divided organic powders. See Section 7 for suggested measures.

Hazardous combustion products: Irritating or toxic substances may be emitted upon burning, combustion or decomposition. See section 10 (Hazardous decomposition products) for additional information.

Special protective equipment and precautions for fire-fighters: Avoid hose streams or any method which will create dust clouds. Wear self-contained breathing apparatus (SCBA) equipped with a full facepiece and operated in a pressure-demand mode (or other positive pressure mode) and approved protective clothing. Personnel without suitable respiratory protection must leave the area to prevent significant exposure to hazardous gases from combustion, burning or decomposition. In an enclosed or poorly ventilated area, wear SCBA during cleanup immediately after a fire as well as during the attack phase of firefighting operations.

See section 9 for additional information.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures: See Section 8 for recommendations on the use of personal protective equipment. If spilled in an enclosed area, ventilate. Avoid raising powdered material due to explosion hazard. Use spark-proof and explosion-proof equipment. If inhalation of dust cannot be avoided, wear an approved particulate respirator. Personal Protective Equipment must be worn.

Environmental precautions: Do not flush product into public sewer, water systems or surface waters.

Methods and materials for containment and cleaning up: Contain spill. Wear proper personal protective clothing and equipment. Using care to avoid dust generation, vacuum or sweep into a closed container for reuse or disposal. Use approved industrial vacuum cleaner for removal. Avoid causing dust. Place into labeled, closed container; store in safe location to await disposal. Change contaminated clothing and launder before reuse.

SECTION 7: Handling and storage

Precautions for safe handling: As with any chemical product, use good laboratory/workplace procedures. Do not get in eyes, on skin or clothing. Do not breathe dust, vapor, aerosol, mist or gas. Do not ingest, taste, or swallow. Wash thoroughly after handling this product. Always wash up before eating, smoking or using the facilities. Use under well-ventilated conditions. Avoid routine inhalation of dust of any kind. Exercise care when emptying containers, sweeping, mixing or doing other tasks which can create dust. Wash contaminated clothing before reuse. Provide eyewash fountains and safety showers in the work area. As a precaution to control dust explosion potential, implement the following safety measures: Eliminate ignition sources (e.g., sparks, static buildup, excessive heat, etc.). In general, dust of organic materials is a static charge generator which may be ignited by electrostatic discharge, electrical arcs, sparks, welding torches, cigarettes, open flame, or other significant heat sources. Use spark-proof tools and equipment. Bond, ground and properly vent conveyors, dust control devices and other transfer equipment. Prohibit flow of polymer, powder or dust through non-conductive ducts, vacuum hoses or pipes, etc.; only use grounded, electrically conductive transfer lines when pneumatically conveying product. Good housekeeping and controlling of dusts are necessary for safe handling of product. Prevent accumulation of dust (e.g., well-ventilated conditions, promptly vacuuming spills, cleaning overhead horizontal surfaces, etc.).

Conditions for safe storage, including any incompatibilities: Store cool and dry, under well-ventilated conditions. Store this material away from incompatible substances (see section 10). Do not store in open, unlabeled or mislabeled containers. Keep container closed when not in use. Do not reuse empty container without commercial cleaning or reconditioning. Empty container contains residual product which may exhibit hazards of product.

SECTION 8: Exposure controls / personal protection

Control parameters:

Occupational exposure limits (OEL):

<u>Chemical Name</u> N-Oxydiethylenethiocarbamyl-N'-oxydiethylenesulfenamide	<u>ACGIH - TWA/Ceiling</u> N/E	<u>ACGIH - STEL</u> N/E		
<u>Chemical Name</u> N-Oxydiethylenethiocarbamyl-N'-oxydiethylenesulfenamide	<u>Australia</u> N/E	<u>New Zealand</u> N/E	<u>Korea</u> N/E	<u>Indonesia</u> N/E
<u>Chemical Name</u> N-Oxydiethylenethiocarbamyl-N'-oxydiethylenesulfenamide	<u>Japan ISHL</u> N/E	<u>Japan JSOH</u> N/E	<u>Taiwan</u> N/E	<u>Malaysia</u> N/E
<u>Chemical Name</u>	<u>Philippines</u>	<u>Singapore</u>		

Chemical Name

N-Oxydiethylenethiocarbamyl-N'-oxydiethylenesulfenamide

Philippines

N/E

Singapore

N/E

N/E=Not established (no exposure limits established for the listed substances for listed country/region/organization).

Emerald Performance Materials recommended exposure threshold limit value for N-Oxydiethylenethiocarbamyl-N'-oxydiethylenesulfenamide is 0.1 mg/m³, 8-hour TWA. PNOS: ACGIH has recommended the following exposure limits for Particulates (insoluble or poorly soluble) not otherwise specified (PNOS): 10 mg/m³ TWA (inhalable particles), 3 mg/m³ TWA (respirable particles).

Exposure controls:

Appropriate engineering controls: Always provide effective general and, when necessary, local exhaust ventilation to draw dust away from workers to prevent routine inhalation. Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS. Eliminate ignition sources (e.g., sparks, static buildup, excessive heat, etc.). Prohibit flow of powder or dust through non-conductive ducts, vacuum hoses, or pipes, etc. Bond, ground, and properly vent conveyors, dust control devices and other transfer equipment.

Individual protection measures, such as personal protective equipment:

Eye/face protection: Safety glasses or goggles required.

Skin and body protection: Wear chemical resistant (impervious) gloves. Use good laboratory/workplace procedures including personal protective clothing: labcoat, safety glasses and protective gloves.

Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment. If inhalation of dust cannot be avoided, wear an approved particulate respirator.

Further information: Eyewash fountains and safety showers are recommended in the work area.

SECTION 9: Physical and chemical properties

Form:	Powder	pH:	Not Available
Appearance:	Off-white to yellow	Relative density:	1.3-1.4
Odor:	Slight	Partition coefficient (n-octanol/water):	1.65
Odor threshold:	Not Available	% Volatile by weight:	Not Available
Solubility in water:	0.127 g/L @ 20°C	VOC:	Not Available
Evaporation rate:	Not Available	Boiling point °C:	Not Applicable Decomposes before boiling
Vapor pressure:	0.00001153 hPa (25 °C)	Boiling point °F:	Not Applicable Decomposes before boiling
Vapor density:	Not Available	Flash point:	Not Applicable
Viscosity:	Not Available	Auto-ignition temperature:	275°C (527°F)
Melting point/Freezing point:	130-140°C (266-284°F)	Flammability (solid, gas):	May form combustible dust concentrations in air.
Oxidizing properties:	Not oxidizing	Flammability or explosive limits:	LFL/LEL: Not Available
Explosive properties:	Not explosive		UFL/UEL: Not Available
Decomposition temperature:	Not Available	Surface tension:	

Other information: Amounts specified are typical and do not represent a specification.

Dust combustibility data: N-OXYDIETHYLENETHIOCARBAMYL-N'-OXYDIETHYLENESULFENAMIDE: The following characteristics apply to powder and are expected to apply to dust from pellets reduced to a powder:

- Minimum explosive concentration: 0.03 oz/ft³ (30 g/m³)
- Minimum ignition energy (dust cloud): 0.20 joules
- Maximum rate of pressure rise: 14,700 psi/sec @ 0.1 oz/ft³ (1,010 bars/sec @ 100 g/m³)
- Maximum pressure of explosion: 83 psig @ 0.5 oz/ft³ (5.7 bars-gauge @ 500 g/m³)
- Explosion severity ratio: 5.83 (severe)
- Deflagration Index, Kst (estimate): 355 bar m/sec
- Ignition sensitivity: Strong
- Volume resistivity: 1.01 x 10¹⁴ ohm-cm
- National Electrical Code (NFPA 70): Group G dust.

SECTION 10: Stability and reactivity

Reactivity: Reaction with nitrites, nitrates and/or other nitrosating agents may lead to the formation of nitrosamines.

Chemical stability: This product is stable. Prolonged storage above 43 °C (109 °F) will initiate chemical changes resulting in loss of accelerator functionality.

Possibility of hazardous reactions: Hazardous polymerization will not occur.

Conditions to avoid: Avoid dust formation.

Incompatible materials: Avoid contact with strong oxidizing agents. Avoid contact with nitrosating agents.

Hazardous decomposition products: Carbon dioxide, carbon monoxide, hydrocarbons, oxides of nitrogen, and oxides of sulfur. May liberate morpholine vapor when heated above 266°F (130°C).

SECTION 11: Toxicological information

Information on likely routes of exposure:

General: Caution must be exercised through the prudent use of protective equipment and handling procedures to minimize exposure. N-OXYDIETHYLENETHIOCARBAMYL-N'-OXYDIETHYLENESULFENAMIDE: Possible cancer hazard - may cause cancer based on animal data.

Eyes: Solid particles on the eye (powder/dust) may cause pain and be accompanied by irritation.

Skin: May cause skin irritation.

Inhalation: Dust inhalation may cause respiratory irritation.

Ingestion: Ingestion may cause irritation.

Acute toxicity information: Not classified (based on available data, the classification criteria are not met). N-OXYDIETHYLENETHIOCARBAMYL-N'-OXYDIETHYLENESULFENAMIDE (CURE-RITE* 18): Inhalation by rats of 164.4 mg of CURE-RITE* 18 dust per liter of air for one hour did not produce any compound related toxic effects or mortality.

<u>Chemical Name</u>	<u>Inhalation LC50</u>	<u>Species</u>	<u>Oral LD50</u>	<u>Species</u>	<u>Dermal LD50</u>	<u>Species</u>
N-Oxydiethylenethiocarbamyl-N'-oxydiethylenesulfenamide	>164.4 mg/L (1 hour, Rat/ adult no mortalities)		>5000 mg/kg	Rat/ adult	>10000 mg/kg	Rabbit/ adult

Skin corrosion/irritation: Not classified (based on available data, the classification criteria are not met).

<u>Chemical Name</u>	<u>Skin irritation</u>	<u>Species</u>
N-Oxydiethylenethiocarbamyl-N'-oxydiethylenesulfenamide	Non-irritant	Rabbit/ adult

Serious eye damage/irritation: Not classified (based on available data, the classification criteria are not met). N-OXYDIETHYLENETHIOCARBAMYL-N'-OXYDIETHYLENESULFENAMIDE (CURE-RITE* 18): Eye irritation, rabbits: mild, reversible irritant.

<u>Chemical Name</u>	<u>Eye irritation</u>	<u>Species</u>
N-Oxydiethylenethiocarbamyl-N'-oxydiethylenesulfenamide	Mild-slight irritant	Rabbit/ adult

Respiratory or skin sensitization: Not classified (based on available data, the classification criteria are not met).

<u>Chemical Name</u>	<u>Skin sensitisation</u>	<u>Species</u>
N-Oxydiethylenethiocarbamyl-N'-oxydiethylenesulfenamide	Non-sensitizer	Local Lymph Node Assay (OECD 429)

Carcinogenicity: May cause cancer - Category 1B. N-OXYDIETHYLENETHIOCARBAMYL-N'-OXYDIETHYLENESULFENAMIDE (CURE-RITE* 18): CURE-RITE* 18 is a possible cancer hazard based on a two year feeding study in which rats developed urinary tract tumors. Dust exposure is the main concern. Inhalation and skin contact should be minimized. Only limited evidence of toxic effect occurred in groups of rats fed 0, 20, 60, 200, or 600 ppm of CURE-RITE* 18 in their daily diet for over two years. No tumors or other compound related effects occurred at the three lower exposure levels (20, 60 and 200 ppm). Effects to the high dose group (600 ppm) consisted of decreased body weight and a pronounced incidence of rales (noise in the lungs). No tissue damage was

observed in the lungs of these animals. Microscopic tissue examination revealed an increased evidence of urinary tumors in the high dose rats. That the risk of tumor induction diminishes rapidly with dose is suggested by the presence of tumors only in the high dose (600 ppm) animals. The absence of any tumors at 200 ppm (10.2 mg/kg bw/day) or lower is important although a "no effect" or "safe" level cannot be set. To man, 200 ppm is equivalent to a workplace exposure of approximately 12 mg of CURE-RITE* 18 dust per m³ of air. Applying a 100 safety factor results in an exposure level of approximately 0.100 mg CURE-RITE* 18 per m³ of air. While a safety factor of 100 is more commonly used for nongenotoxic agents, we believe that such a level will significantly minimize any risk. This level can be achieved by good industrial hygiene practice, well ventilated conditions and by following the guidelines in this safety data sheet. Pellets should enable even lower exposure levels to be achieved.

Germ cell mutagenicity: Not classified (based on available data, the classification criteria are not met). N-OXYDIETHYLENETHIOCARBAMYL-N'-OXYDIETHYLENESULFENAMIDE (CURE-RITE* 18): In Dominant Lethal assays, male rats fed CURE-RITE* 18 for 56 days were mated with females. Examination of the pregnant females showed that CURE-RITE* 18 did not cause mutations which were lethal to the unborn pups. In short-term in vitro mutagenic screens (microbial and mammalian cell tests), no mutagenic activity was found in the Ames test or the E. coli WP2 uvrA-assays. Cell transformation (BALB/3T3) was observed in only one of two different commercial samples tested. Mutagenic responses were observed in the Mouse Lymphoma L5178Y, E. coli pol A+/pol A- plate, and CHO chromosome aberration assays.

Reproductive toxicity: Not classified (based on available data, the classification criteria are not met). N-OXYDIETHYLENETHIOCARBAMYL-N'-OXYDIETHYLENESULFENAMIDE (CURE-RITE* 18): No adverse effect on reproductive performance (mating, fertility, pup growth or pup viability) was observed when groups of male rats were administered 0, 60, 200, or 600 ppm in their diets for 56 days and then mated with females.

Specific target organ toxicity (STOT) - single exposure: Not classified (based on available data, the classification criteria are not met).

Specific target organ toxicity (STOT) - repeated exposure: Not classified (based on available data, the classification criteria are not met).

Aspiration hazard: Not classified (technical impossibility to obtain the data).

Other toxicity information: No additional information available.

SECTION 12: Ecological information

Ecotoxicity:

<u>Chemical Name</u>	<u>Species</u>	<u>Acute</u>	<u>Acute</u>	<u>Chronic</u>
N-Oxydiethylenethiocarbamyl-N'-oxydiethylenesulfenamide	Fish	LC50 9.12 mg/L (96 hours)	N/E	N/E
N-Oxydiethylenethiocarbamyl-N'-oxydiethylenesulfenamide	Invertebrates	EC50 1.6 mg/L (48 hours)	N/E	N/E
N-Oxydiethylenethiocarbamyl-N'-oxydiethylenesulfenamide	Algae	EC50 5.9 mg/L (72 hours)	N/E	NOEC 2.48 mg/L(72 hours)
N-Oxydiethylenethiocarbamyl-N'-oxydiethylenesulfenamide	Micro-organisms	EC50 >1000 mg/L (3 hours)		

Persistence and degradability: N-OXYDIETHYLENETHIOCARBAMYL-N'-OXYDIETHYLENESULFENAMIDE: Not readily biodegradable. This material is inherently biodegradable (OECD 301B). This material undergoes a moderate to rapid rate of hydrolysis under environmental conditions and rapid hydrolysis under acidic conditions.

<u>Chemical Name</u>	<u>Biodegradation</u>
N-Oxydiethylenethiocarbamyl-N'-oxydiethylenesulfenamide	Not readily biodegradable (OECD 301B)

Bioaccumulative potential:

<u>Chemical Name</u>	<u>Bioconcentration Factor (BCF)</u>	<u>Log Kow</u>
N-Oxydiethylenethiocarbamyl-N'-oxydiethylenesulfenamide	N/E	1.65

Mobility in soil: High mobility in soil is expected.

<u>Chemical Name</u>	<u>Mobility in soil (Koc/Kow)</u>
N-Oxydiethylenethiocarbamyl-N'-oxydiethylenesulfenamide	18.3

Other adverse effects: No additional information available.

SECTION 13: Disposal considerations

Dispose of unused contents (incineration or landfill) in accordance with national and local regulations. Dispose of container in accordance with national and local regulations. Ensure the use of properly authorized waste management companies, where appropriate.

See Section 8 for recommendations on the use of personal protective equipment.

SECTION 14: Transport information

The information below is provided to assist in documentation. It may supplement the information on the package. The package in your possession may carry a different version of the label depending on the date of manufacture. Depending on inner packaging quantities and packaging instructions, it may be subject to specific regulatory exceptions.

UN number: UN3077

UN proper shipping name:

Environmentally hazardous substance, solid, n.o.s. (N-Oxydiethylenethiocarbamyl-N'-oxydiethylenesulfenamide)

Transport hazard class(es):

U.S. DOT hazard class: N/A

Canada TDG hazard class: N/A

Europe ADR/RID hazard class: 9

IMDG Code (ocean) hazard class: 9

ICAO/IATA (air) hazard class: 9

A "N/A" listing for the hazard class indicates the product is not regulated for transport by that regulation.

Packing group: III

Environmental hazards:

Marine pollutant: Marine Pollutant (IMDG code 2.9.3).

Hazardous substance (USA): Not Applicable

Special precautions for user: Not Applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:

Not Applicable

Notes: For surface shipments within the United States: Not regulated.

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question:

Japan regulations:

Japan Industrial Safety and Health Law:

Chemical name

No subject chemicals

Category

Japan Fire Service Law:

Chemical name

No subject chemicals

Category

Japan Poisonous and Deleterious Substances:

Chemical name

No subject chemicals

Category

Threshold

Japan Prevention of Marine Pollution and Disaster:

Chemical name

No subject chemicals

Category

Japan Chemical Substances Control Law:

Chemical name

No subject chemicals

Category

Notes

Korean regulations:

Korea Industrial Safety and Health Act:

Chemical name

No subject chemicals

Category

Threshold

Korea Act on Registration and Evaluation of Chemical Substances (K-REACH) - Substances subject to registration:

No subject chemicals

Korea Chemical Control Act (CCA):

Chemical name

Category

Code

Threshold

No subject chemicals

Korea Safety Control of Dangerous Substances Act (MPSS):

Chemical name

Class

Threshold

No subject chemicals

Korea Waste Control Act: Waste disposal methods must comply with local and national laws.

Chemical name

Notes

No subject chemicals

Other regulations: No Additional Information

Chemical inventories:

<u>Regulation</u>	<u>Status</u>
Australian Inventory of Chemical Substances (AICS):	Y
Canadian Domestic Substances List (DSL):	Y
Canadian Non-Domestic Substances List (NDSL):	N
China Inventory of Existing Chemical Substances (IECSC):	Y
European EC Inventory (EINECS, ELINCS, NLP):	Y
Japan Existing and New Chemical Substances (ENCS):	N
Japan Industrial Safety and Health Law (ISHL):	N
Korean Existing and Evaluated Chemical Substances (KECL):	N
New Zealand Inventory of Chemicals (NZIoC):	N
Philippines Inventory of Chemicals and Chemical Substances (PICCS):	Y
Taiwan Inventory of Existing Chemicals:	Y
U.S. Toxic Substances Control Act (TSCA) (Active):	Y

A "Y" listing indicates all intentionally added components are either listed or are otherwise compliant with the regulation. A "N" listing indicates that for one or more components: 1) there is no listing on the public inventory (or is not on the ACTIVE inventory for U.S. TSCA); 2) no information is available; or 3) the component has not been reviewed. A "Y" for New Zealand may mean that a qualified group standard may exist for the components in this product.

Chemical inventory notes: New Zealand: One or more components may be covered by a group standard.

Europe REACH (EC) 1907/2006: Applicable components are registered, exempt or otherwise compliant. REACH is only relevant to substances either manufactured or imported into the EU. Emerald Performance Materials has met its obligations under the REACH regulation. REACH information regarding this product is provided for informational purposes only. Each Legal Entity may have differing REACH obligations, depending on their place in the supply chain. For material manufactured outside of the EU, the importer of record must understand and meet their specific obligations under the regulation.

SECTION 16: Other information

Legend:

- * : Trademark owned by Emerald Performance Materials, LLC.
- ACGIH: American Conference of Governmental Industrial Hygienists
- N/A: Not Applicable
- N/E: None Established
- STEL: Short Term Exposure Limit
- TWA: Time Weighted Average (exposure for 8-hour workday)

Users Responsibility/Disclaimer of Liability:

The information set forth herein is based on our current knowledge, and is intended to describe the product solely with respect to health, safety and the environment. As such, it must not be interpreted as a guarantee of any specific property of the product. As a result, the customer shall be solely responsible for deciding whether said information is suitable and beneficial.

Safety Data Sheet Preparer:
 Product Compliance Department
 Emerald Performance Materials, LLC
 1499 SE Tech Center Place, Suite 300
 Vancouver, WA 98683
 United States