

**Aqueous Sodium Hydrogensulfide****TECHNICAL DATA SHEET**

*Good-Rite® Chemical Intermediates feature aqueous solutions that are high in active sulfur content and light in color. Customers benefits of aqueous solutions that are conveniently stored, accurately measured and easily transferred during chemical manufacturing. This product group must be transported and stored at high pH (>11) to ensure the benefits of optimal reactivity and maximum safety.*

***Specific properties for Good-Rite® NaSH are listed below.***

**PRODUCT DESCRIPTION**

- Aqueous Sodium Hydrogensulfide
- Clear liquid pale orange in color

**SPECIFICATIONS**

- Sodium Hydrosulfide 40-44%
- Gardner Color 15 Max.

**FEATURES**

- High actives content
- Delivered Warm

**TYPICAL PROPERTIES**

- Low Metals <0.01%
- Low Trithiocarbonate 15 Max.
- Solution pH >11
- Viscosity 4 to 8 cPs
- Delivered Warm 80-135°F

**BENEFITS**

- Water-soluble reactive Sulfur

**STORAGE/HANDLING**

Read the Good-Rite® NaSH Material Safety Data Sheet before handling, storing, or using this product.

**APPLICATIONS**

- Kraft Paper Manufacturing
- Depilatory for Tanneries
- Ore Processing for Mining
- Metal Isolation/Purification

**PACKAGING/DELIVERY**

Available in railcar or tank truck only

*To obtain samples, discuss your application, or gather more details on Good-Rite® NaSH, or any other Good-Rite® product, please log onto our website at [www.emeraldmaterials.com](http://www.emeraldmaterials.com), or contact us directly at 888.889.9150.*

The information contained herein is believed to be reliable, but no representations, guarantees or warranties of any kind are made as to its accuracy, suitability for particular applications or the results to be obtained there from. The information is based on laboratory work with small-scale equipment and does not necessarily indicate end product performance. Because of the variations in methods, conditions, and equipment used commercially in processing these materials, no warranties or guarantees are made as to the suitability of the products for the applications disclosed. Full-scale testing and end product performance are the responsibility of the user. Emerald Performance Materials shall not be liable for and the customer assumes all risk and liability of any use or handling of any material beyond Emerald's direct control. THE SELLER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OR MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Nothing contained herein is to be considered permission, recommendation, not as an inducement to practice any patented invention without permission of the patent owner. IN NO EVENT SHALL SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.